

No. Date Issues/Revisions

432 PARK, APT. 78B

432 PARK AVENUE, 61ST FLOOR NEW YORK, NY 10022

KEY PLAN:

EAST 57 TH STREET

WAY

NOSIDE NEW YORK OF STREET

AREA OF WORK: 61ST FLOOR

KANG MODERN

architecture + design KHCad pilc

NEW YORK Office
304 Hudson Street, Suite 500
New York, NY 10013

T 212.462.2028
F 212.462.4788

WSP Flack & Kurtz
512 Seventh Avenue
New York, NY 10018

HDLC Architectural Lighting design
10 East 38th Street, 5th Floor
New York, NY 10016

Lighting Designers
Tcl: (212) 529-7800

GENERAL NOTES

1. METAL STUDS SHALL BE OF SUFFICIENT GAUGE AND

PUBLISHED HEIGHT LIMITATIONS. ABSENT

BE 12GA @ 12" O.C. OR 12GA AT 12" O.C.

3. PARTITION * @ FAMILY ROOM SHOULD MATCH EXIST.

SPACING TO LIMIT PARTITION DEFLECTION TO L/360 AT 7.5 PSF PRESSURE BASED ON MANUFACTURER'S

MANUFACTURER'S PUBLISHED DATA TO THE CONTRARY, 2½" METAL STUDS AT 14'-8" VERTICAL SPAN SHALL

ANCHORAGE OF STUD TO TRACK SHALL ACCOMMODATE DIFFERENTIAL MOVEMENT. COMPONENTS TO BE ISOLATED SO THAT ANTICIPATED MOVEMENT MAY OCCUR SMOOTHLY AND WITHOUT PERCEPTIBLE SOUND. COORDINATE WITH BASE BUILDING APPROVED DETAIL.

BUILDING STANDARD PARTITION TYPE @ EAST HALL.

PARTITION TYPES

Scale: AS NOTED A-601

Date: 25 JAN 2017